

REFRIGERATOR SYSTEMS

DOUBLE THE VOLUME

HALF THE BATTERY DRAIN

HALF THE SOLAR PANELS

HALF THE INSTALLATION COSTS

NTELLIGENTLY


C ONTROLLED

E NERGY

E FFICIENT

R EFRIGERATION

ICEER 100 & 105 UNDER BENCH FRIDGE / FREEZER MODELS



SPECIFICATIONS:-


 100
 CAPACITY
 Fridge
 75 litres
 Freezer 23 litres

 DIMENSIONS
 L 950 X H 620 X W 460 mm

 105
 CAPACITY
 Fridge
 75
 litres
 Freezer 30 litres

 DIMENSIONS
 L 1100 X H 620 X W 480 mm

WEIGHT 50 Kg
POWER 12 or 24 Vdc
12V CONSUMPTION 5 amps
AVERAGE HRS RUN PER DAY 6 hrs



* 2 X 80 WATT SOLAR PANELS WILL RUN THIS UNIT ALL YEAR ROUND *

ICEER 130 & 160 UNDER BENCH FRIDGE / FREEZERS MODELS

SPECIFICATIONS:- Note * Door not include in width add 80 mm

130 CAPACITY Fridge 96 litres Freezer 30 litres
DIMENSIONS L 1130 X H 840 X W 400mm

160 CAPACITY Fridge 120 litres Freezer 38 litres
DIMENSIONS L 1130 X H 840 X W 500mm

WEIGHT 60 Kg
POWER 12 or 24 Vdc
12V CONSUMPTION 5 amps
AVERAGE HRS RUN PER DAY 8 hrs


LH / RH FREEZER OPTION

LH / RH DOOR

* 2 X 80 WATT SOLAR PANELS WILL RUN THIS UNIT ALL YEAR ROUND *



ICEER 150 UPRIGHT FRIDGE / FREEZER MODEL



SPECIFICATIONS:-

CAPACITY Fridge 96 litres

Freezer 30 litres

DIMENSIONS L 620 x H 830 x D 750mm

WEIGHT 60 Kg
POWER 12 or 24 Vdc
12V CONSUMPTION 5 amps
AVERAGE HRS RUN PER DAY 6 hrs

* 2 X 80 WATT SOLAR PANELS WILL RUN THIS
UNIT ALL YEAR ROUND *

ICEER 75 UNDER BENCH FREEZER MODEL


SPECIFICATIONS:-

75 UNDER BENCH Freezer 75 litres

DIMENSIONS L 800 X H 680 X W 600mm

(Note * Motor bay is note included in this dimensions)


WEIGHT 50 Kg
POWER 12 or 24 Vdc
12V CONSUMPTION 5 amps
AVERAGE HRS RUN PER DAY 7 hrs



* 2 X 80 WATT SOLAR PANELS WILL RUN THIS UNIT ALL YEAR ROUND *



ICEER 71 & 60 UNDER BENCH FREEZERS MODELS



SPECIFICATIONS:-

71 UNDER BENCH Freezer 71 litres


DIMENSIONS L 1140 X H 590 X W 400 mm

 60 UNDER BENCH
 Freezer 60 litres

 DIMENSIONS
 L 1000 X H 590 X W 400mm

WEIGHT 50 Kg

POWER 12 or 24 Vdc 12V CONSUMPTION 5 amps AVERAGE HRS RUN PER DAY 8 hrs





* 2 X 80 WATT SOLAR PANELS WILL RUN THIS
UNIT ALL YEAR ROUND *

ICEER 170 FRIDGE

SPECIFICATIONS:-

CAPACITY 170 litres

DIMENSIONS L 620 X H 830 X D 750mm

WEIGHT 60 Kg
POWER 12 or 24 Vdc
12V CONSUMPTION 6 amps
AVERAGE HRS RUN PER DAY 4 hrs

LH / RH DOOR

Motor compartment not shown

* 1 X 80 WATT SOLAR PANEL WILL RUN THIS
UNIT ALL YEAR ROUND *





DOUBLE THE VOLUME * HALF THE BATTERY DRAIN HALF THE SOLAR PANELS * HALF THE INSTALLATION COST

NTELLIGENTLY monitors variables such as ambient temperature, motor performance, internal cabinet temperature and gas charge.

C ONTROLS all variables electronically.

E NERGY or battery drain to achieve maximum cooling effectiveness is always at an absolute minimum.

FFICIENT intelligent control of the system gives maximum volume for minimum power. You can literally double the volume for half the power.

R EFRIGERATION You now have a fully sealed 134A unit with -12° C freezer, even in the hottest of tropical climates.

BACKED BY A * 2 * YEAR GUARANTEE

FEATURES:-

- MINUS 12° C FREEZERS
- WORKS IN 45° C TEMPERATURE
- FULLY MOULDED FIBREGLASS
- EASY TO CLEAN WHITE GLOSS
- LEAVE RUNNING ALL YEAR
- CFC FREE , OZONE FRIENDLY
- 12V OR 24V DC
- INDICATION LIGHTS
- MADE IN AUSTRALIA

OPTIONS:-

- TOP OR BOTTOM DOOR HANDLE
- · LH OR RH HINGE DOOR
- MOTOR LOCATION
- SOLAR PANELS
- CUSTOM MADE UNITS TO YOUR REQUIREMENTS

SEE ONE AT YOUR AGENT

MAL BETTS Mobile 0419 674 135